

CIVIL DEFENCE SUPPLY Ltd.

ARMADILLO™ Interlocking Riot Shield

LONG RIOT SHIELD Height 1800mm x Width 570mm

ORDER CODE	BLADE THICKNESS	BACK PANEL THICKNESS	WEIGHT (Kg.)	PRICE (Ex.VAT) £UK EX.WORKS
SH001	4mm.	3mm.	7.5	
SH001A	4mm.	4mm.	8	
SH001B	3mm.	3mm.	6.75	Special order only
SH001M	3mm.	4mm.	7	

Developed as the ultimate long shield for police and prison use.

TECHNICAL DATA

The shield has a 3mm or 4mm thick clear LEXAN POLYCARBONATE front blade and a 3mm or 4mm thick backing panel in the same material for maximum visibility and vital body area protection. It has lightweight aluminium hook and loop handles with non-slip rubber grips for comfortable carry and secure hand grip in action. The backing panel has a shock resistant foam forearm protective pad.

TYPICAL USE

Ideal for violent situations which may become static for long periods and maximum protection is required from thrown objects, improvised weapons such as street furniture, or petrol bombs.

The multi purpose design of the shield allows for numerous tactics to be used. Group formations are enhanced due to the rapid interlocking capability, a typical mutual protection unit being three long shields in front and three intermediate shields for overhead protection. Capable of surviving extensive impact.

Fully interlocking with all Armadillo shields.



Rubber buffers mask front face bolt heads, for improved public safety



All shields are batch and manufacture date coded for traceability Armadillo shields are certified and type examined to satisfy the Basic Health and Safety Requirements of Personal Protective Equipment Directive 89/686/EEC, Annex 2 and as such are suited for use by personnel in high risk situations.

Manufactured exclusively by : Civil Defence Supply Ltd., Ashby Hall, Ashby de la Launde, Lincoln LN4 3JG.
Tel. (0)1526 323000 Fax (0)1526 323111

CIVIL DEFENCE SUPPLY Ltd.

ARMADILLO™ Interlocking Riot Shield

SHIELD TYPE	MoD PATTERN LONG SHIELD
ORDER CODE	SH001M
DIMENSIONS	1800mm HIGH x 570mm WIDE x 3mm THICK
WEIGHT	7Kg.

Developed as the ultimate lightweight full body shield for military use


TECHNICAL DATA

This shield uses a lightweight but strong LEXAN® POLYCARBOANTE 3mm. thick front blade, for greater user mobility, and a 4mm thick backing panel in the same material for maximum visibility and vital body area protection. It has lightweight aluminium hook and loop handles with non-slip rubber grips for comfortable carry and secure hand grip in action. The backing panel incorporates a foam forearm protective pad for user comfort and a moulded lip at the bottom to enable vertical interlinking.

TYPICAL USE

Ideal for violent situations which may become static for long periods where maximum protection is required from thrown objects, improvised weapons such as street furniture, or petrol bombs.

The multi purpose design of the shield allows for numerous tactics to be used. Group formations are enhanced due to the rapid interlocking capability, a typical mutual protection unit being three long shields in front and three intermediate shields for overhead protection. Fully interlocking with all Armadillo shields, and capable of surviving extensive impact.



Rubber buffers mask front face bolt heads, for improved public safety



All shields are batch and manufacture date coded for traceability Armadillo shields are certified and type examined to satisfy the Basic Health and Safety Requirements of Personal Protective Equipment Directive 89/686/EEC, Annex 2 and as such are suited for use by personnel in high risk situations.

Manufactured exclusively by : Civil Defence Supply Ltd., Ashby Hall, Ashby de la Launde, Lincoln LN4 3JG.
Tel. (0)1526 323000 Fax (0)1526 323111

CIVIL DEFENCE SUPPLY Ltd.

ARMADILLOTM Interlocking Riot Shield

MEDIUM RIOT SHIELD Height 1650mm x Width 570mm

ORDER CODE	BLADE THICKNESS	BACK PANEL THICKNESS	WEIGHT (Kg.)	PRICE (Ex.VAT) £UK EX.WORKS
SH002	4mm.	3mm.	7.5	
SH002A	4mm.	4mm.	8	
SH003	3mm.	3mm.	5	
SH003A	3mm.	4mm.	7	Special order only

Developed for use as a barrier shield for UK police forces for street tactics and intervention

TECHNICAL DATA

The shield has a 3mm or 4mm thick clear LEXAN[®] POLYCARBONATE front blade and a 3mm or 4mm thick backing panel in the same material for maximum visibility and vital body area protection. It has lightweight aluminium hook and loop handles with non-slip rubber grips for comfortable carry and secure hand grip in action. The backing panel has a shock resistant foam forearm protective pad.

TYPICAL USE

The 1650mm. height of the shield allows an officer to stand upright while being subjected to threats such as thrown objects and petrol bombs during a prolonged violent situation.

The multi purpose design of the shield allows for numerous tactics to be used. Group formations are enhanced due to the rapid interlocking capability, a typical mutual protection unit being three medium shields in front and three intermediate shields for overhead protection.



Rubber buffers mask front face bolt heads, for improved public safety

Fully interlocking with all Armadillo shields.



All shields are batch and manufacture date coded for traceability. Armadillo shields are certified and type examined to satisfy the Basic Health and Safety Requirements of Personal Protective Equipment Directive 89/686/EEC, Annex 2 and as such are suited for use by personnel in high risk situations.

Manufactured exclusively by : Civil Defence Supply Ltd., Ashby Hall, Ashby de la Launde, Lincoln LN4 3JG.
Tel. (0)1526 323000 Fax (0)1526 323111

CIVIL DEFENCE SUPPLY Ltd.

ARMADILLO™ © Interlocking Riot Shield

PRISON 4' C & R SHORT SHIELD Height 1200mm x Width 570mm

ORDER CODE	BLADE THICKNESS	BACK PANEL THICKNESS	WEIGHT (Kg.)	PRICE (Ex.VAT) £UK EX.WORKS
SH004	4mm.	3mm.	6	
SH004A	4mm.	4mm.	6.5	
SH005	3mm.	3mm.	5	
SH005A	3mm.	4mm.	5.5	Special order only

Designed originally for the United Kingdom Prison Service as the standard overhead cover and cell intervention shield for CONTROL & RESTRAINT tactics

TECHNICAL DATA

The shield has a 3mm or 4mm thick clear LEXAN POLYCARBONATE front blade and a 3mm or 4mm thick backing panel in the same material for maximum visibility and vital body area protection. It has lightweight aluminium 'D' shaped handles with non-slip rubber grips for secure hand grip in action.

TYPICAL USE

The multi purpose design of the shield allows for numerous tactics to be used, including group formations, typically with long C&R shields, individual protection for snatch squads, and particularly violent man scenarios when used with straight arm C&R tactics. The handles provide extra distance from the front of the shield and are designed to deform under heavy impact, rather than conduct the force directly to the user's body. Fully interlocking with all Armadillo shields and capable of surviving extensive impact from thrown objects petrol bombs and edged weapons.



Rubber buffers mask front face bolt heads, for improved public safety



All shields are batch and manufacture date coded for traceability Armadillo shields are certified and type examined to satisfy the Basic Health and Safety Requirements of Personal Protective Equipment Directive 89/686/EEC, Annex 2 and as such are suited for use by personnel in high risk situations.

Manufactured exclusively by : Civil Defence Supply Ltd., Ashby Hall, Ashby de la Launde, Lincoln LN4 3JG.
Tel. (0)1526 323000 Fax (0)1526 323111

CIVIL DEFENCE SUPPLY Ltd.

ARMADILLO™ © Interlocking Riot Shield

KENT TYPE INTERMEDIATE SHIELD Height 1200mm x Width 570mm

ORDER CODE	BLADE THICKNESS	BACK PANEL THICKNESS	WEIGHT (Kg.)	PRICE (Ex.VAT) £UK EX.WORKS
SH006	4mm.	3mm.	6	
SH006A	4mm.	4mm.	6.5	
SH007	3mm.	3mm.	5	
SH007A	3mm.	4mm.	5.5	Special order only

Developed as the ultimate lightweight multipurpose shield for police use, later becoming the most widely used shield both in the U.K and worldwide for police and security forces.

TECHNICAL DATA

The shield has a 3mm or 4mm thick clear LEXAN POLYCARBONATE front blade and a 3mm or 4mm thick backing panel in the same material for maximum visibility and vital body area protection. It has lightweight aluminium hook and loop handles with non-slip rubber grips for comfortable carry and secure hand grip in action. The backing panel has a shock resistant foam forearm protective pad and a moulded lip at the bottom to enable vertical as well as horizontal interlinking

TYPICAL USE

The multi purpose design of the shield allows for numerous tactics to be used, including group formations, typically with long C&R shields, individual protection for snatch squads, and violent man scenarios when used with straight arm C&R tactics. Fully interlocking with all Armadillo shields and capable of surviving extensive impact from thrown objects petrol bombs and edged weapons.



Rubber buffers mask front face bolt heads, for improved public safety



All shields are batch and manufacture date coded for traceability Armadillo shields are certified and type examined to satisfy the Basic Health and Safety Requirements of Personal Protective Equipment Directive 89/686/EEC, Annex 2 and as such are suited for use by personnel in high risk situations.

Manufactured exclusively by : Civil Defence Supply Ltd., Ashby Hall, Ashby de la Launde, Lincoln LN4 3JG.
Tel. (0)1526 323000 Fax (0)1526 323111

ARMADILLO™ is the Trade Mark of Civil Defence Supply. ©ARMADILLO profile and shape is the copyright of Civil Defence Supply
ARMADILLO is protected by Worldwide Patents

CIVIL DEFENCE SUPPLY Ltd.

ARMADILLO™ © Interlocking Riot Shield

R.U.C. (VEHICLE FIT) SHIELD Height 1145mm x Width 570mm

ORDER CODE	BLADE THICKNESS	BACK PANEL THICKNESS	WEIGHT (Kg.)	PRICE (Ex.VAT) £UK EX.WORKS
SH008	4mm.	3mm.	5.5	
SH008A	4mm.	4mm.	5.75	Special order only
SH008AB	3mm.	3mm.	4.75	Special order only
SH008M	3mm.	4mm.	5.0	

Developed for the Royal Ulster Constabulary as an intermediate shield to be deployed from lightly armoured vehicles

TECHNICAL DATA

This shield is the standard RUC pattern unit and utilises a LEXAN POLYCARBOANTE 3mm or 4mm. thick front blade, for maximum user protection, and a 3mm or 4mm thick backing panel in the same material for good visibility and vital body area protection.. It has lightweight aluminium hook and loop handles with non-slip rubber grips for comfortable carry and secure hand grip in action. The backing panel has a shock resistant foam forearm protective pad and a moulded lip at the bottom to enable vertical as well as horizontal interlinking.

TYPICAL USE

The multi purpose design of the shield allows for numerous tactics to be used, including group formations, typically with long and medium shields, individual protection for snatch squads, and violent man scenarios when used with straight arm C&R tactics.

Fully interlocking with all Armadillo shields and capable of surviving extensive impact from thrown objects and edged weapons



All shields are batch and manufacture date coded for traceability Armadillo shields are certified and type examined to satisfy the Basic Health and Safety Requirements of Personal Protective Equipment Directive 89/686/EEC, Annex 2 and as such are suited for use by personnel in high risk situations.

Manufactured exclusively by : Civil Defence Supply Ltd., Ashby Hall, Ashby de la Launde, Lincoln LN4 3JG.
Tel. (0)1526 323000 Fax (0)1526 323111

CIVIL DEFENCE SUPPLY Ltd.

ARMADILLO™ © Interlocking Riot Shield

<i>SHIELD TYPE</i>	MoD PATTERN INTERMEDIATE SHIELD
<i>ORDER CODE</i>	SH008M
<i>DIMENSIONS</i>	1145mm HIGH x 570mm WIDE x 3mm THICK
<i>WEIGHT</i>	5Kg.

Developed as the ultimate lightweight multipurpose shield for military use

TECHNICAL DATA

This shield is the same design as the standard RUC pattern unit but utilises a lighter LEXAN POLYCARBONATE 3mm. thick front blade, for greater user mobility, and a 4mm thick backing panel in the same material for maximum visibility and vital body area protection. It has lightweight aluminium hook and loop handles with non-slip rubber grips for comfortable carry and secure hand grip in action. The backing panel has a shock resistant foam forearm protective pad and a moulded lip at the bottom to enable vertical as well as horizontal interlinking.

TYPICAL USE

The multi purpose design of the shield allows for numerous tactics to be used, including group formations, typically with long C&R shields, individual protection for snatch squads, and violent man scenarios when used with straight arm C&R tactics.

Fully interlocking with all Armadillo shields and capable of surviving extensive impact from thrown objects and edged weapons



Rubber buffers mask front face bolt heads, for improved public safety



All shields are batch and manufacture date coded for traceability Armadillo shields are certified and type examined to satisfy the Basic Health and Safety Requirements of Personal Protective Equipment Directive 89/686/EEC, Annex 2 and as such are suited for use by personnel in high risk situations.

Manufactured exclusively by : Civil Defence Supply Ltd., Ashby Hall, Ashby de la Launde, Lincoln LN4 3JG.
Tel. (0)1526 323000 Fax (0)1526 323111

CIVIL DEFENCE SUPPLY Ltd.

ARMADILLO™ © Interlocking Riot Shield

C-TYPE INTERMEDIATE SHIELD Height 990mm x Width 570mm

ORDER CODE	BLADE THICKNESS	BACK PANEL THICKNESS	WEIGHT (Kg.)	PRICE (Ex.VAT) £UK EX.WORKS
SH009	4mm.	3mm.	5.25	
SH009T	4mm.	4mm.	5.5	Special order only
SH009A	3mm.	3mm.	4.5	
SH009AT	3mm.	4mm.	5.25	Special order only

Developed for police units specifying a very lightweight compact shield for rapid deployment.

TECHNICAL DATA

The shield has a 3mm or 4mm thick clear LEXAN POLYCARBONATE front blade and a 3mm or 4mm thick backing panel in the same material for maximum visibility and vital body area protection. It has lightweight aluminium hook and tapering single loop handles with non-slip rubber grips for comfortable carry and secure hand grip in action. The backing panel has a shock resistant foam forearm protective pad and a moulded lip at the bottom to enable vertical as well as horizontal interlinking

TYPICAL USE

For snatch groups, formations moving at very high speed and house entry teams. Also used by dog handlers. Ideal for straight arm C & R methods in crowd pushing, cell work and domestic disturbances.

Fully interlocking with all Armadillo shields, particularly as an overhead shield, and capable of surviving extensive impact from thrown objects petrol bombs and edged weapons.



Rubber buffers mask front face bolt heads, for improved public safety



All shields are batch and manufacture date coded for traceability Armadillo shields are certified and type examined to satisfy the Basic Health and Safety Requirements of Personal Protective Equipment Directive 89/686/EEC, Annex 2 and as such are suited for use by personnel in high risk situations.

Manufactured exclusively by : Civil Defence Supply Ltd., Ashby Hall, Ashby de la Launde, Lincoln LN4 3JG.
Tel. (0)1526 323000 Fax (0)1526 323111

CIVIL DEFENCE SUPPLY Ltd.

ARMADILLO™ Interlocking Riot Shield

STRATHCLYDE TYPE INTERMEDIATE SHIELD Height 800mm x Width 570mm

ORDER CODE	BLADE THICKNESS	BACK PANEL THICKNESS	WEIGHT (Kg.)	PRICE (Ex.VAT) £UK EX.WORKS
SH010	3mm.	3mm.	4	
SH010A	4mm.	3mm.	4.25	Special order only

Developed for the Strathclyde police for use as a fast response shield in dealing with domestic and street violence incidents

TECHNICAL DATA

The shield has a 3mm or 4mm thick clear LEXAN POLYCARBONATE front blade and a 3mm thick backing panel in the same material for maximum visibility and vital body area protection. It has two lightweight aluminium loop handles with non-slip rubber grips for comfortable carry and secure hand grip in action. The backing panel has a shock resistant foam forearm protective pad.

TYPICAL USE

The shield is ideally suited to tactics where a fast response is required for intervention in violent incidents. The backing panel is specially lengthened to cover almost the full height of the shield to give a total of 6mm. of vital area cover in order to protect against knife, machete or axe attack. Small enough to fit in the boot of a car, it is fully interlocking with all other Armadillo shields and survives extensive impact from thrown objects and petrol bombs. Its design and configuration make it ideally suited to straight arm C & R tactics, such as angry man cell removal and crowd pushing.



Rubber buffers mask front face bolt heads, for improved public safety



All shields are batch and manufacture date coded for traceability Armadillo shields are certified and type examined to satisfy the Basic Health and Safety Requirements of Personal Protective Equipment Directive 89/686/EEC, Annex 2 and as such are suited for use by personnel in high risk situations.

Manufactured exclusively by : Civil Defence Supply Ltd., Ashby Hall, Ashby de la Launde, Lincoln LN4 3JG.
Tel. (0)1526 323000 Fax (0)1526 323111

ARMADILLO™ is the Trade Mark of Civil Defence Supply. ©ARMADILLO profile and shape is the copyright of Civil Defence Supply
ARMADILLO is protected by Worldwide Patents

CIVIL DEFENCE SUPPLY Ltd.

ARMADILLO™ © Interlocking Riot Shield

'D' TYPE (CAR BOOT) SHIELD Height 560mm x Width 570mm

ORDER CODE	BLADE THICKNESS	BACK PANEL THICKNESS	WEIGHT (Kg.)	PRICE (Ex.VAT) £UK EX.WORKS
SH011	4mm.	3mm.	3.25	
SH011T	4mm.	4mm.	3.50	Special order only
SH011A	3mm.	3mm.	2.75	
SH011AT	3mm.	4mm.	3.00	Special order only

Note: 'S' suffix denotes a strap handle. e.g. SH011ATS will order a 4mm.+4mm. shield with a strap handle

This is the smallest Armadillo available, it was developed for use as a rapid intervention shield to be carried in the boot of a patrol car, however because of its size it is now seen by many forces as a replacement for the round shield.

TECHNICAL DATA

The shield has a 3mm or 4mm thick clear LEXAN POLYCARBONATE front blade and a 3mm or 4mm thick backing panel in the same material for maximum visibility and vital body area protection. It has two lightweight aluminium loop handles with non-slip rubber grips for comfortable carry and secure hand grip in action. The backing panel has a shock resistant foam forearm protective pad and a moulded lip at the bottom to enable vertical as well as horizontal interlinking. The strap handle variant enables the user to temporarily release the shield while handling or arresting a subject or performing other duties, and still retain a level of protection.

TYPICAL USE

The shield is ideally suited to tactics where fast response intervention is required such as drugs raids and street and domestic violence situations. It can be stowed permanently in the boot of a car, ready for rapid deployment. Twin loop handles are suited for straight arm C & R tactics such as take downs and angry man. Fully interlocking with all Armadillo shields and capable of surviving extensive impact from thrown objects and edged weapons



Rubber buffers mask front face bolt heads, for improved public safety



All shields are batch and manufacture date coded for traceability Armadillo shields are certified and type examined to satisfy the Basic Health and Safety Requirements of Personal Protective Equipment Directive 89/686/EEC, Annex 2 and as such are suited for use by personnel in high risk situations.



Manufactured exclusively by : Civil Defence Supply Ltd., Ashby Hall, Ashby de la Launde, Lincoln LN4 3JG.
Tel. (0)1526 323000 Fax (0)1526 323111

CIVIL DEFENCE SUPPLY Ltd.

ARMADILLO™ © Interlocking Riot Shield

'D' TYPE (ROOF) SHIELD Height 560mm x Width 570mm

ORDER CODE	BLADE THICKNESS	BACK PANEL THICKNESS	WEIGHT (Kg.)	PRICE (Ex.VAT) £UK EX.WORKS
SH012	4mm.	3mm.	3.25	
SH012T	4mm.	4mm.	3.50	Special order only
SH012A	3mm.	3mm.	2.75	
SH012AT	3mm.	4mm.	3.00	Special order only

Developed for the U.K. Prison Service use for personal protection involving enclosed spaces and roof work.

TECHNICAL DATA

The shield has a 3mm or 4mm thick clear LEXAN POLYCARBONATE front blade and a 3mm or 4mm. thick backing panel in the same material for maximum visibility. It has two lightweight aluminium loop handles with non-slip rubber grips for comfortable carry and secure hand grip in action. The backing panel has a shock resistant foam forearm protective pad.

TYPICAL USE

The shield is ideally suited to tactics where fast response intervention is required but space is limited. It is also ideal for roof work where personal protection is required without the the added hindrance of a large heavy shield. Twin loop handles are suited for straight arm tactics such as take downs and angry man. Fully interlocking with all Armadillo shields and capable of surviving extensive impact from thrown objects and edged weapons.



Rubber buffers mask front face bolt heads, for improved public safety



All shields are batch and manufacture date coded
Armadillo shields are certified and type examined to satisfy the Basic Health and Safety Requirements of Personal Protective Equipment Directive 89/686/EEC, Annex 2 and as such are suited for use by personnel in high risk situations

Manufactured exclusively by : Civil Defence Supply Ltd., Ashby Hall, Ashby de la Launde, Lincoln LN4 3JG.
Tel. (0)1526 323000 Fax (0)1526 323111

ARMADILLO™ is the Trade Mark of Civil Defence Supply. ©ARMADILLO profile and shape is the copyright of Civil Defence Supply
ARMADILLO is protected by Worldwide Patents

CIVIL DEFENCE SUPPLY Ltd.

ARMADILLO™ Interlocking Riot Shield

'COMMANDER' TYPE SHIELD Height 600mm x Width 570mm

ORDER CODE	BLADE THICKNESS	BACK PANEL THICKNESS	WEIGHT (Kg.)	PRICE (Ex.VAT) £UK EX.WORKS
SH014	3mm.	3mm.	4.2	

Developed for the U.K. Prison Service use for personal protection involving enclosed spaces and roof work.

TECHNICAL DATA

The shield has a 3mm thick clear LEXAN POLYCARBONATE front blade and a 3mm thick backing panel in the same material for maximum visibility. It has two lightweight aluminium loop handles with non-slip rubber grips for comfortable carry and secure hand grip in action. For maximum see-through visibility and to assist in the use of a forearm protector, the shock absorbing foam pad is omitted.

TYPICAL USE

The shield is ideally suited to tactics where fast response intervention is required but space is limited. It is also ideal for roof work where personal protection is required without the added hindrance of a large heavy shield. Twin loop handles are suited for straight arm tactics such as take downs and angry man. Fully interlocking with all Armadillo shields and capable of surviving extensive impact from thrown objects and edged weapons.



Rubber buffers mask front face bolt heads, for improved public safety



All shields are batch and manufacture date coded
Armadillo shields are certified and type examined to satisfy the Basic Health and Safety Requirements of Personal Protective Equipment Directive 89/686/EEC, Annex 2

Manufactured exclusively by : Civil Defence Supply Ltd., Ashby Hall, Ashby de la Launde, Lincoln LN4 3JG.
Tel. (0)1526 323000 Fax (0)1526 323111

ARMADILLO™ is the Trade Mark of Civil Defence Supply. ©ARMADILLO profile and shape is the copyright of Civil Defence Supply
ARMADILLO is protected by Worldwide Patents

CIVIL DEFENCE SUPPLY Ltd.

ARMADILLO™ © Interlocking Riot Shield

ANIMAL CONTROL SHIELD (ACS) Height 990mm x Width 570mm

ORDER CODE	BLADE THICKNESS	BACK PANEL THICKNESS	WEIGHT (Kg.)	PRICE (Ex.VAT) £UK EX.WORKS
ACS	3mm.	3mm.	6.0	

Developed for UK police units only as a humane method of controlling dogs or other dangerous animals.

TECHNICAL DATA

The shield has a 3mm thick clear LEXAN POLYCARBONATE front blade, a 3mm thick back pane, and a 3mm front panel as a mounting for the conductive matrix, in the same material. It has lightweight aluminium single loop handles with non-slip rubber grips for comfortable carry and secure hand grip. Mounted on the rear of the back panel is a control / electronics box which delivers a high voltage, low current power output via 2 wires to the conductive matrix on the front panel. A red button activates the device. A unique safety key attached by a lanyard to the operator ensures the device only operates when used by authorised personnel and de-activates the control box automatically if the shield is dropped or snatched by a hostile party.



TYPICAL USE

The ACS is only for use in operations such as drugs raids, where the officer may encounter a dangerous animal. The operator points the ACS at the animal and presses the red button activating the conductive strips. If the dog touches the strips it will receive a severe non-lethal shock. The strips also generate discharge sparks accompanied by loud crackling noises which will deter most animals.

A separate black nylon carrier is also available for this product, code SH057



All shields are batch and manufacture date coded for traceability. Armadillo shields are certified and type examined to satisfy the Basic Health and Safety Requirements of Personal Protective Equipment Directive 89/686/EEC, Annex 2 and as such are suited for use by personnel in high risk situations.

Manufactured exclusively by : Civil Defence Supply Ltd., Ashby Hall, Ashby de la Launde, Lincoln LN4 3JG.
Tel. (0)1526 323000 Fax (0)1526 323111

ARMADILLO™ is the Trade Mark of Civil Defence Supply. ©ARMADILLO profile and shape is the copyright of Civil Defence Supply
ARMADILLO is protected by Worldwide Patents